

Laboratory	Chemical Laboratory, NMDC Limited (BIOM – Kirandul Complex), South Bastar Dantewada, P.O.- Kirandul, Chhattisgarh		
Accreditation Standard	ISO/IEC 17025: 2005		
Discipline	Chemical Testing	Issue Date	07.09.2015
Certificate Number	T-2662	Valid Until	06.09.2017
Last Amended on	-	Page	1 of 1

S. No.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
I. ORES & MINERALS				
1.	Iron Ore	Total Iron	IS 1493 (Part 1): 1981 (RA 2001) NMDC/SOP/IO/01: 2013	30.00 % to 72.00 %
		LOI	NMDC/SOP/IO/02: 2013 IBM Manual, Revised Edition February 2012, Page 292	0.10 % to 10.00 %
		Silica	IS 1493 (Part 1): 1981 (RA 2001) NMDC/SOP/IO/03: 2013	1.00 % to 45.00 %
		Al ₂ O ₃	IS 1493 (Part 1): 1981 (RA 2001) NMDC/SOP/IO/04: 2013 NMDC/SOP/IO/06 (ICP): 2013	0.10 % to 20.00 %
		Phosphorous	IS 1493 (Part 1): 1981 (RA 2001) NMDC/SOP/IO/05: 2013 NMDC/SOP/IO/06 (ICP): 2013	0.01 % to 1.00 %

-X-X-X-X-X-X-X-X-X-X-X-X-

Rahul Jain
Convenor

N. Venkateswaran
Program Manager